



SYMBOL: **4933426660** MANUFACTURER: **Milwaukee** EAN: **4002395002139**



## HD18 JSB-402C - Body grip jigsaw 18 V, 4.0 Ah, HEAVY DUTY, in case with 2 batteries and charger, 4933426660

- Voltage: 18 V
- Stroke length: 26 mm
- No load stroke rate: 2050/2700 spm
- Max. cutting capacity wood/steel: 120/10 mm
- Vibration cutting wood/metal: 6.3/6.4 m/s<sup>2</sup>
- Mitre capacity: 45°
- Battery type: Li-ion
- No. of batteries supplied: 2
- Battery pack capacity: 4.0 Ah
- Charger supplied: 80 min
- Weight with battery pack: 2.9 kg

**WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)**



2 959,00 zł **-10%**

**2 663,10 zł** (tax excl.)

(3 275,61 zł (tax incl.))

PayU VISA MasterCard

Product page

link > <https://imilwauke.pl/en/20356-hd18-jsb-402c-body-grip-jigsaw-18-v-40-ah-heavy-duty-in-case-with-2...>

### DESCRIPTION

- Sound power and pressure level: 93.5 / 82.5 dB(A)
- Milwaukee® 4-pole frameless motor delivers 2700 rpm for fast cutting.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- Soft start & 2-speed selector switch for ideal speed in different materials.
- Patented FIXTEC system for fast keyless blade change and bevel adjustment with snap-in at 0° and 45°.
- 4 stage pendulum action for increased performance.
- Adjustable saw dust blower.
- Exact saw blade guidance with large blade support roller on needle bearings fitted in a very low position.
- Die-cast base plate for high durability.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- Fuel gauge displays remaining charge.
- REDLITHIUM-ION™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all Milwaukee® M18™ [batteries](#)
- Standard equipment: sliding foot, 2 blades.
- Supplied in case (Kitbox) with 2 batteries and charger.

### FEATURES

Symbol	HD18JSB-402C
Długość skoku	26.00
Ilość akumulatorów	2
Ilość suwów	2050-2700
Zasilanie	battery
Napięcie akumulatora [V]	18

