



SYMBOL: **4933441230** MANUFACTURER: **Milwaukee** EAN: **4002395001279**



## M12 BPP2C-402B - POWERPACK M12™, M12 BDD, C12 HZ, 2 x 4.0 Ah + charger, in bag, 4933441230

- Set contains:
  - M12 BDD - sub compact drill driver 12 V
  - C12 HZ - sub compact reciprocating saw 12 V
  - M12 B4 - 2 batteries 4.0 Ah
  - C12 C - charger
  - Supplied in bag.

**WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)**



~~1 769,00 zł~~ **-10%**

**1 592,10 zł** (tax excl.)

(1 958,28 zł (tax incl.))



Product page

link > <https://imilwauke.pl/en/20542-m12-bpp2c-402b-powerpack-m12-m12-bdd-c12-hz-2-x-40-ah-charger-in-ba...>

### DESCRIPTION

#### M12 BDD

- Voltage: 12 V
- Chuck capacity: 10 mm
- Max. drilling steel/wood: 10/22 mm
- No load speed gear 1/2: 0-400/0-1500 rpm
- Max. torque: 38 Nm
- Wood screws to: 6 mm
- Battery type: Li-ion
- Weight with battery pack: 1.4 kg

- High performance sub compact drill driver measures 189 mm in length making it ideal for working within confined spaces.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- 10 mm metal chuck for quick bit changes and bit retention.
- Optimised handle for better control and improved grip.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- On board fuel gauge and LED light - added user convenience and illumination in low lit working conditions.
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M12™ batteries.

#### C12 HZ

- Voltage: 12 V
- No load stroke rate: 0 - 3000 spm
- Stroke length: 13 mm
- Vibration cutting: 10.5 m/s<sup>2</sup>
- Vibration cutting uncertainty: 1.5 m/s<sup>2</sup>
- Battery type: Li-ion
- Weight with battery pack: 1.2 kg

- High performance compact one handed use HACKZALL™, measuring only 280 mm in length, making it ideal for working within confined spaces.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- Patented FIXTEC™ clamp for fast and easy keyless blade change.
- Low vibration at 10.5 m/s<sup>2</sup>.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- On board fuel gauge and LED light - added user convenience and illumination in low lit working conditions.
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M12™ batteries.

- Supplied in bag with 2 batteries and charger.

### FEATURES

Symbol	M12BPP2C-402B
Opis	wiertarko-wkrętarka, piła, 2 akumulatory, ładowarka
Ilość akumulatorów	2
Zasilanie	battery
Napięcie akumulatora [V]	12

Pojemność akumulatora [Ah]	4.0
----------------------------	-----

