



SYMBOL: **4933479441** MANUFACTURER: **Milwaukee** EAN: **4058546372354**



M18 BLHPTXL-502P - Brushless XL press tool 18 V, 5.0 Ah FORCE LOGIC™, in case, with 2 batteries and charger, 4933479441

- Voltage: 18 V
- Press force: 32 kN
- Max. press size in composite/copper: 110/108 mm
- Max. press size in steel: 102"
- Max. press size in c-steel & stainless steel: 108 mm
- Battery type: Li-ion
- Battery pack capacity: 5.0 Ah
- Weight with battery pack (M18 B5): 3.9 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



12 819,00 zł (tax excl.)
(15 767,37 zł (tax incl.))

PayU VISA MasterCard



Product page link > <https://imilwauke.pl/en/25581-m18-blhptxl-502p-brushless-xl-press-tool-18-v-50-ah-force-logic-in-...>

DESCRIPTION

- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time.
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection.
- Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe.
- One hand operated tool for over head applications and working in narrow spaces.
- Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market.
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval.
- Auto-cycle ensures a full press cycle is completed with every press connection.
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery.
- Pre-press battery check ensures enough charge to complete each press.
- On board fuel gauge and LED light.
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability.
- Flexible battery system: works with all MILWAUKEE® M18™ batteries.
- Supplied in case (PACKOUT) with 2 batteries and charger.

FEATURES

Symbol	M18BLHPTXL-502P
Siła [kN]	32.00
Ilość akumulatorów	2
Zasilanie	battery
Napięcie akumulatora [V]	18

