
PARTNER W DOBORZE ROZWIĄZAŃ TECHNICZNYCH DLA PRZEMYSŁU I MOTORYZACJI



e > Pipe power tools > Tools for expanding and pushing pipes



DESCRIPTION

- Vibration level: <2.5 m/s²
- Vibration uncertainty: 1.5 m/s²
 Sound power level (LWA): 80 dB(A)
- Sound pressure level (LPA): 69 dB(A)
- Sound pressure level uncertainty: 3 dB(A)
- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion.
 REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability.
- Quick cam mechanism single pull continuous action installs Q&E up to 4x faster.
- Steel gears and integrated magnesium frame.
- Robust D-handle design for easy installation of Q&E fittings. Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
 On board fuel gauge and LED light.
- REDLITHIUM[™] battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M18™ batteries.
- Standard equipment: heads 16/20/25/32 mm, grease.
 Supplied in case (Kitbox) with 2 batteries and charger.

FEATURES

Symbol	HD18PXP-H10202C
Ilość akumulatorów	2
Zasilanie	battery
Napięcie akumulatora [V]	18
Obroty [obr/min]	45