



SYMBOL: **4933441774** MANUFACTURER: **Milwaukee** EAN: **4002395001842**



HD18 PXP-H10202C - HEAVY DUTY UPONOR™ Q&E expansion tool 10 bar 18 V, 2.0 Ah, in case, with 2 batteries and charger, 4933441774

- Voltage: 18 V
- Stroke length: 25 mm
- Head type: auto-rotating
- Max. pipe diameter 10 bar: 32 x 4.4 mm
- Speed: 45 spm
- Battery type: Li-ion
- No. of batteries supplied: 2
- Battery pack capacity: 2.0 Ah
- Weigh with battery pack (M18 B2): 3.5 kg

WARRANTY: EXTENDED WARRANTY (UPON ONLINE REGISTRATION)



~~3 919,00 zł~~ **-10%**

3 527,10 zł (tax excl.)

(4 338,33 zł (tax incl.))

PayU VISA MasterCard

Product page

link > <https://imilwauke.pl/en/26810-hd18-pxp-h10202c-heavy-duty-uponor-qe-expansion-tool-10-bar-18-v-20...>

DESCRIPTION

- Vibration level: <2.5 m/s²
- Vibration uncertainty: 1.5 m/s²
- Sound power level (LWA): 80 dB(A)
- Sound pressure level (LPA): 69 dB(A)
- Sound power level uncertainty: 3 dB(A)
- Sound pressure level uncertainty: 3 dB(A)

- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- Quick cam mechanism - single pull continuous action installs Q&E up to 4x faster.
- Steel gears and integrated magnesium frame.
- Robust D-handle design for easy installation of Q&E fittings.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- On board fuel gauge and LED light.
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- Flexible battery system: works with all MILWAUKEE® M18™ batteries.
- Standard equipment: heads 16/20/25/32 mm, grease.
- **Supplied in case (Kitbox) with 2 batteries and charger.**

FEATURES

| | |
|--------------------------|-----------------|
| Symbol | HD18PXP-H10202C |
| Ilość akumulatorów | 2 |
| Zasilanie | battery |
| Napięcie akumulatora [V] | 18 |
| Obroty [obr/min] | 45 |